




# PLOT DATA CORN



## NORTHEAST NEBRASKA

**FARM:** Klein **DATE PLANTED:** 4/26/2019  
**LOCATION:** Stanton, NE **DATE HARVESTED:** 10/16/2019  
**COUNTY:** Stanton **PLANTING RATE:** 33,000  
**ENTRIES:** 21 **ROW WIDTH:** 30.00

| HYBRID           | RANK | BU/ACRE<br>@ 15%<br>Moisture | % H2O | TEST<br>WEIGHT |
|------------------|------|------------------------------|-------|----------------|
| P0825AM          | 1    | 250.4                        | 19.6  | 60.9           |
| JS7713VT2PRO RIB | 2    | 248.6                        | 18.2  | 62.3           |
| JS9616SS RIB     | 3    | 240.1                        | 20.4  | 60.3           |
| JS7748VT2PRO RIB | 4    | 238.6                        | 21.5  | 59.4           |
| JS7545GTCBLL     | 5    | 237.7                        | 20.3  | 60.4           |
| JS9693 3000GT    | 6    | 236.5                        | 19.2  | 61.5           |
| JS7588VT2PRO RIB | 7    | 235.5                        | 19.1  | 61.4           |
| JS7616VT2PRO RIB | 8    | 230.6                        | 20.2  | 60.5           |
| P0720Q           | 9    | 228.6                        | 17.9  | 62.6           |
| JS7513VT2PRO RIB | 10   | 227.6                        | 18.6  | 61.9           |
| JS9326SS RIB     | 11   | 227.6                        | 16.9  | 63.6           |
| JS9723 3000GT    | 12   | 227.5                        | 21.2  | 59.6           |
| JS7468VT2PRO RIB | 13   | 226.5                        | 17.9  | 62.5           |
| JS7424VT2PRO RIB | 14   | 225.6                        | 17.7  | 62.7           |
| P0157AM          | 15   | 222.3                        | 17.3  | 63.2           |
| JS9107SS RIB     | 16   | 221.0                        | 17.0  | 63.5           |
| JS6370R          | 17   | 218.3                        | 16.8  | 63.8           |
| P0574AM          | 18   | 218.2                        | 17.3  | 63.2           |
| JS9444 3111VIP   | 19   | 218.1                        | 17.4  | 63.0           |
| JS7391VT2PRO RIB | 20   | 214.2                        | 16.7  | 63.9           |
| JS7001VT2PRO RIB | 21   | 205.9                        | 16.6  | 63.9           |
|                  |      |                              |       |                |

This plot is located on a rotated field with conventional tillage and irrigation. It received average rainfall along with the irrigation, no fungicide application, and above average temperatures to finish out the season.



# PLOT DATA CORN



## WEST CENTRAL IOWA

**FARM:** Schultz

**LOCATION:** Lake View, IA

**COUNTY:** Sac

**ENTRIES:** 10

**DATE PLANTED:** 5/15/2019

**DATE HARVESTED:** 10/28/2019

**PLANTING RATE:** 34,000

**ROW WIDTH:** 30

| HYBRID           | RANK | BU/ACRE<br>@ 15%<br>Moisture | % H2O | TEST<br>WEIGHT |
|------------------|------|------------------------------|-------|----------------|
| JS7513VT2PRO RIB | 1    | 228.7                        | 18.4  |                |
| P1197AM          | 2    | 227.1                        | 20.0  |                |
| JS7748VT2PRO RIB | 3    | 226.5                        | 21.7  |                |
| JS7616VT2PRO RIB | 4    | 224.7                        | 21.1  |                |
| JS7588VT2PRO RIB | 5    | 223.6                        | 19.1  |                |
| JS9693 3000GT    | 6    | 216.5                        | 20.0  |                |
| JS7713VT2PRO RIB | 7    | 216.2                        | 20.1  |                |
| JS9444 3111      | 8    | 212.7                        | 17    |                |
| P0825AM          | 9    | 206.3                        | 20.2  |                |
| JS7545GTCBLL     | 10   | 206.1                        | 20.3  |                |
|                  |      |                              |       |                |
|                  |      |                              |       |                |
|                  |      |                              |       |                |
|                  |      |                              |       |                |
|                  |      |                              |       |                |
|                  |      |                              |       |                |
|                  |      |                              |       |                |
|                  |      |                              |       |                |
|                  |      |                              |       |                |
|                  |      |                              |       |                |
|                  |      |                              |       |                |
|                  |      |                              |       |                |
|                  |      |                              |       |                |

This plot is in soybean stubble on silt, loam soils. 150# of N was applied in the spring as Urea and no fungicide was applied.



**FARM:** Nelson

**DATE PLANTED:** 5/16/2019

**LOCATION:** Sac City, IA

**DATE HARVESTED:** 10/30/2019

**COUNTY:** Sac

**PLANTING RATE:** 32.500

ENTRIES: 10

ROW WIDTH: 30

This field is located on very heavy, black glacial soils and is in a corn and soybean rotation. 180 lbs of N were applied and fungicide was applied at VT/R1.



# PLOT DATA CORN



## WEST CENTRAL IOWA

**FARM:** Werner

**DATE PLANTED:** 4/24/2019

**LOCATION:** Sac City, IA

**DATE HARVESTED:** 10/28/2019

**COUNTY:** Sac

**PLANTING RATE:** 31,700

**ENTRIES:** 17

**ROW WIDTH:** 30

| HYBRID           | RANK | BU/ACRE<br>@ 15%<br>Moisture | % H2O | TEST<br>WEIGHT |
|------------------|------|------------------------------|-------|----------------|
| JS7424VT2PRO RIB | 1    | 235.6                        | 16.8  | 57.2           |
| JS7391VT2PRO RIB | 2    | 235.4                        | 16.5  | 60.2           |
| JS7468VT2PRO RIB | 3    | 235.1                        | 12.2  | 58.8           |
| JS7107VT2PRO RIB | 4    | 232.4                        | 15.6  | 59.0           |
| JS7713VT2PRO RIB | 5    | 232.1                        | 17.5  | 58.6           |
| JS7588VT2PRO RIB | 6    | 232.0                        | 17.1  | 56.2           |
| JS9444 3111      | 7    | 227.6                        | 16.9  | 56.1           |
| JS6370R          | 8    | 225.7                        | 16.5  | 59.9           |
| JS7513VT2PRO RIB | 9    | 222.8                        | 17.0  | 59.2           |
| JS9693 3000GT    | 10   | 220.5                        | 18.8  | 57.7           |
| JS7616VT2PRO RIB | 11   | 219.9                        | 18.4  | 58.0           |
| JS7545GTCBLL     | 12   | 219.7                        | 19.3  | 56.3           |
| JS7748VT2PRO RIB | 13   | 218.4                        | 19.5  | 58.9           |
| JS7001VT2PRO RIB | 14   | 214.9                        | 15.4  | 59.3           |
| EX86             | 15   | 214.1                        | 15.9  | 58.1           |
| JS7326VT2PRO RIB | 16   | 213.0                        | 15.7  | 58.1           |
| EX33             | 17   | 200.7                        | 16.3  | 59.0           |
|                  |      |                              |       |                |
|                  |      |                              |       |                |
|                  |      |                              |       |                |
|                  |      |                              |       |                |
|                  |      |                              |       |                |

This plot was tilled in the spring after long term no-till. It is in rotation with soybeans. 170lbs of N was applied this spring as UAN, P and K were applied with VRT, and no fungicide was used.



# PLOT DATA CORN



## SOUTH CENTRAL MINNESOTA

FARM: Dallenbach

LOCATION: Morgan, MN

COUNTY: Brown

ENTRIES: 45

DATE PLANTED: 5/11/2019

DATE HARVESTED: 10/23/2019


PLANTING RATE: 34,000

ROW WIDTH: 30

| HYBRID                   | RANK | BU/ACRE<br>@ 15%<br>Moisture | % H2O | TEST<br>WEIGHT |
|--------------------------|------|------------------------------|-------|----------------|
| Federal 5300VT2 PRO      | 1    | 257.3                        | 23.6  | 55.1           |
| Federal 5280VT2 PRO      | 2    | 248.7                        | 23.3  | 54.9           |
| Gold Country 106-96RSS   | 3    | 254.1                        | 24.1  | 55.8           |
| Gold Country 105-66DR2P  | 4    | 251.9                        | 23.0  | 55.0           |
| Jacobsen 7391VT2PRO RIB  | 5    | 248.3                        | 23.5  | 54.5           |
| Gold Country 108-33RSS   | 6    | 247.2                        | 24.8  | 54.4           |
| Beck's 5699VT2           | 7    | 246.9                        | 24.5  | 53.5           |
| Jacobsen EX33 VT2PRO     | 8    | 243.9                        | 22.1  | 56.3           |
| Federal 5490SS           | 9    | 243.2                        | 23.1  | 55.2           |
| Beck's 5140HR            | 10   | 241.4                        | 23.4  | 54.1           |
| Jacobsen 6370R           | 11   | 241.1                        | 23.2  | 55.4           |
| Jacobsen 9107SS RIB      | 12   | 239.8                        | 21.8  | 56.6           |
| Federal 5885VT2 PRO      | 13   | 239.8                        | 24.9  | 52.8           |
| Gold Country 103-23RSS   | 14   | 239.1                        | 22.2  | 54.8           |
| Gold Country 109-59GR2P  | 15   | 239.0                        | 25.8  | 52.5           |
| Pioneer 0306AM           | 16   | 236.9                        | 23.5  | 54.2           |
| Beck's 5765AM            | 17   | 236.1                        | 25.1  | 53.3           |
| Gold Country 104-11RSS   | 18   | 233.9                        | 22.8  | 55.9           |
| Pioneer 0589AMXT         | 19   | 232.8                        | 24.8  | 54.0           |
| Jacobsen 7001VT2PRO RIB  | 20   | 230.4                        | 20.8  | 54.9           |
| Jacobsen 9326SS RIB      | 21   | 229.8                        | 25.6  | 55.2           |
| Beck's 5866AM            | 22   | 229.5                        | 27.0  | 53.1           |
| Federal 5000VT2 PRO      | 23   | 229.5                        | 21.9  | 53.0           |
| Beck's 5313AM            | 24   | 228.5                        | 23.1  | 54.0           |
| Federal 4700SS           | 25   | 228.2                        | 23.4  | 55.9           |
| Federal 4800VT2 PRO      | 26   | 226.5                        | 22.3  | 56.5           |
| Beck's 5113AM            | 27   | 226.1                        | 22.1  | 54.0           |
| Jacobsen 7326VT2PRO      | 28   | 225.6                        | 22.6  | 54.3           |
| Gold Country 102-07RSS   | 29   | 225.4                        | 21.2  | 53.9           |
| Gold Country 101-60RSS   | 30   | 225.2                        | 23.0  | 54.8           |
| Gold Country 99-30RSS    | 31   | 222.8                        | 20.2  | 55.0           |
| Federal 4880SS           | 32   | 220.7                        | 23.6  | 54.9           |
| Jacobsen 7424VT2PROB RIB | 33   | 220.7                        | 23.6  | 53.9           |
| Gold Country 101-04RSS   | 34   | 219.7                        | 21.0  | 55.0           |
| Federal 4805SS           | 35   | 219.2                        | 26.6  | 54.0           |
| Pioneer 0306AM           | 36   | 218.6                        | 22.5  | 54.0           |
| Jacobsen EX86SS RIB      | 37   | 218.5                        | 21.6  | 55.1           |
| Federal 4680SS           | 38   | 215.2                        | 21.9  | 56.0           |
| Jacobsen 7468VT2PRO RIB  | 39   | 212.7                        | 23.1  | 54.7           |
| Federal 5337VT2          | 40   | 212.2                        | 21.0  | 54.5           |
| Federal 4580VT2 PRO      | 41   | 210.2                        | 21.8  | 54.9           |
| Beck's 4836SX4           | 42   | 209.7                        | 21.6  | 54.5           |
| Federal 4990SS           | 43   | 208.9                        | 21.6  | 56.5           |
| Beck's 4971AM            | 44   | 206.9                        | 22.6  | 52.5           |
| Federal 5005SS           | 45   | 200.4                        | 23.0  | 54.0           |
|                          |      |                              |       |                |
|                          |      |                              |       |                |
|                          |      |                              |       |                |
|                          |      |                              |       |                |



# PLOT DATA CORN



## WEST CENTRAL IOWA

FARM:

Aschinger

DATE PLANTED:

4/23/2019

LOCATION:

Wall Lake, IA

DATE HARVESTED:

11/6/2019

COUNTY:

Sac

PLANTING RATE:

34,100

ENTRIES:

26

ROW WIDTH:

30

| HYBRID           | BU/ACRE @ 15% Moisture | % H2O |
|------------------|------------------------|-------|
| JS9693 3000GT    | 261.8                  | 19.10 |
| JS7616VT2PRO RIB | 254.5                  | 19.30 |
| P1197AM          | 253.7                  | 18.60 |
| JS7588VT2PRO RIB | 252.8                  | 18.20 |
| JS7748VT2PRO RIB | 249.4                  | 20.10 |
| JS9723 300GT     | 249.4                  | 20.20 |
| JS7468VT2PRO RIB | 248.9                  | 17.70 |
| JS7391VT2PRO RIB | 247.0                  | 17.30 |
| JS7424VT2PRO RIB | 246.4                  | 17.20 |
| EX33             | 246.3                  | 8.30  |
| EX35             | 244.8                  | 18.70 |
| JS7326VT2PRO RIB | 244.2                  | 16.80 |
| P0825            | 243.9                  | 18.60 |
| JS7513VT2PRO RIB | 241.7                  | 17.40 |
| P0157AM          | 241.1                  | 17.00 |
| JS7713VT2PRO RIB | 241.0                  | 18.60 |
| JS6370R          | 239.5                  | 16.90 |
| EX86             | 239.4                  | 16.90 |
| P1366AM          | 238.0                  | 18.90 |
| P0574AM          | 236.3                  | 17.30 |
| JS7545GTCBLL     | 233.4                  | 19.60 |
| JS7107VT2PRO RIB | 231.3                  | 16.40 |
| JS9444 3111      | 229.9                  | 17.10 |
| EX86             | 228.4                  | 16.50 |
| EX62             | 225.7                  | 18.20 |
| JS7001VT2PRO RIB | 221.2                  | 16.00 |
|                  |                        |       |
|                  |                        |       |
|                  |                        |       |
|                  |                        |       |
|                  |                        |       |
|                  |                        |       |
|                  |                        |       |
|                  |                        |       |
|                  |                        |       |

This field is well maintained at therefore the crops here want for very little. It is in a corn and soybean rotation with hog manure applied after soybeans. Additional UAN was applied in the spring and fungicide/insecticide was applied at VT/R1.



# PLOT DATA CORN



## JACOBSEN SEED IOWA SHOWCASE FIELD

**FARM:** Iowa Showcase Field **DATE PLANTED:** 4/24/2019  
**LOCATION:** Lake View, IA **DATE HARVESTED:** 10/28/2019  
**COUNTY:** Sac **PLANTING RATE:** 31,700  
**ENTRIES:** 46 **ROW WIDTH:** 30

| HYBRID           | RANK | BU/ACRE<br>@ 15%<br>Moisture | % H2O | TEST<br>WEIGHT |
|------------------|------|------------------------------|-------|----------------|
| CHECK            | 5    | 246.7                        | 21.9  | 58.7           |
| JS9107SS RIB     | 33   | 214.6                        | 18.9  | 59.2           |
| JS9326SS RIB     | 25   | 228.2                        | 19.8  | 59.0           |
| JS9444 3111      | 31   | 220.7                        | 20.2  | 55.7           |
| JS9616SS RIB     | 12   | 237.1                        | 20.8  | 58.1           |
| JS9693 3000GT    | 23   | 228.7                        | 22.1  | 57.9           |
| JS9723 3000GT    | 13   | 237.0                        | 24    | 57.5           |
| CHECK            | 2    | 252.1                        | 21.4  | 58.5           |
| JS9306SS RIB     | 28   | 225.0                        | 20.1  | 59.1           |
| JS9503SS RIB     | 14   | 236.8                        | 20.6  | 58.8           |
| JS7001VT2PRO RIB | 30   | 220.7                        | 17.3  | 59.0           |
| JS7107VT2PRO RIB | 27   | 225.2                        | 17.7  | 59.0           |
| JS7391VT2PRO RIB | 15   | 233.7                        | 18.2  | 60.1           |
| JS7424VT2PRO RIB | 4    | 247.2                        | 18.2  | 56.6           |
| JS7468VT2PRO RIB | 7    | 243.9                        | 20.4  | 59.9           |
| JS7513VT2PRO RIB | 8    | 239.9                        | 20.3  | 58.7           |
| JS7545 GTCBLL    | 22   | 229.6                        | 20.4  | 57.0           |
| JS7588VT2PRO RIB | 1    | 254.3                        | 21.6  | 56.8           |
| CHECK            | 10   | 237.8                        | 21.9  | 57.9           |
| JS7611VT2PRO RIB | 11   | 237.3                        | 21.9  | 58.0           |
| JS7713VT2PRO RIB | 19   | 232.2                        | 23.3  | 57.5           |
| JS7748VT2PRO RIB | 24   | 228.7                        | 23.9  | 58.7           |
| JS6370R          | 29   | 223.1                        | 19.5  | 58.5           |
| CHECK            | 6    | 244.1                        | 21.3  | 58.1           |
| JS4249           | 32   | 219.9                        | 20.0  | 57.0           |
| JS4266           | 34   | 203.5                        | 18.7  | 58.6           |
| JS4306           | 18   | 233.0                        | 19.4  | 59.1           |
| JS4317           | 16   | 233.5                        | 18.1  | 60.0           |
| JS4495           | 26   | 227.7                        | 20.3  | 56.0           |
| JS4540           | 21   | 231.3                        | 21.7  | 57.8           |
| JS4631           | 20   | 232.1                        | 22.0  | 58.0           |
| JS4761           | 17   | 233.0                        | 22.0  | 59.4           |
| CHECK            | 3    | 248.3                        | 21.1  | 57.1           |
| JS4326           | 9    | 239.4                        | 19.1  | 59.1           |

The Ulmer Field Showcase is in a corn/soybean rotation. 180lbs of N were applied this spring as UAN. 60lbs of P and 50lbs of K were also applied in the spring. Foliar fungicide was applied at VT.



**DATE PLANTED:** 5/2/2019

**DATE HARVESTED:** 11/6/2019

**PLANTING RATE:** 33,800

ROW WIDTH: 30

[illegible]

This well drained, loam field has been in a corn on corn operation for many years. It receives hog manure along with addition N applied as UAN in the spring. Fungicide/Insecticide was applied at VT/R1.





# PLOT DATA CORN



## NORTHEAST IOWA

**FARM:** Osage Corn Plot

**DATE PLANTED:** 5/16/19

**LOCATION:** Osage, IA

**DATE HARVESTED:** 11/23/2019

**COUNTY:** Mitchell

**PLANTING RATE:** 32,000

**ENTRIES:** 25

**ROW WIDTH:** 30

| HYBRID <sup>11</sup> | RANK | BU/ACRE @<br>15% Moisture | % H2O |      |
|----------------------|------|---------------------------|-------|------|
| JS4107               | 1    | 209.8                     | 20.3  | 55.0 |
| JS4003               | 2    | 202.0                     | 20.0  | 55.0 |
| JS4306               | 3    | 201.0                     | 23.0  | 55.0 |
| W2500                | 4    | 200.2                     | 22.0  | 55.0 |
| W1630                | 5    | 194.5                     | 17.5  | 55.0 |
| JS4080               | 6    | 192.1                     | 22.5  | 55.5 |
| JS4326               | 7    | 190.6                     | 23.5  | 56.0 |
| W4190                | 8    | 189.3                     | 22.0  | 55.0 |
| JS4178               | 9    | 186.9                     | 22.0  | 56.0 |
| JS4317               | 10   | 185.1                     | 20.2  | 56.0 |
| P0157AM              | 11   | 184.2                     | 22.0  | 56.0 |
| JS4178               | 12   | 182.6                     | 22.0  | 56.0 |
| JS4178               | 13   | 180.5                     | 22.0  | 56.0 |
| JS4178               | 14   | 179.3                     | 22.0  | 56.0 |
| EX49B                | 15   | 177.5                     | 20.2  | 55.5 |
| JS4495               | 16   | 176.6                     | 24.0  | 54.0 |
| JS4266               | 17   | 176.3                     | 19.6  | 56.0 |
| JS4178               | 18   | 172.6                     | 22.0  | 56.0 |
| JS4249               | 19   | 170.7                     | 20.1  | 54.5 |
| JS4178               | 20   | 170.6                     | 22.5  | 55.5 |
| EX49A                | 21   | 164.7                     | 20.0  | 55.0 |
| JS4178               | 22   | 163.0                     | 22.0  | 56.0 |
| P0574AM              | 23   | 160.9                     | 21.6  | 53.0 |
| JS4009               | 24   | 160.7                     | 16.9  | 55.5 |
| JS4178               | 25   | 152.8                     | 22.0  | 56.0 |

W=Wyffels  
P=Pioneer



ROW WIDTH: 30

[illegible]



**DATE PLANTED:** 5/26/2019

**DATE HARVESTED:** 11/20/2019

**PLANTING RATE:** 33.400

ROW WIDTH: 30

[illegible]

This plot is situated on uniform Galva Silty Clay Loam soil, a well drained soil type. This plot has hog manure applied in the fall each year before corn. No fungicide was applied.



# PLOT DATA CORN



## WEST CENTRAL IOWA

**FARM:** Carstensen

**LOCATION:** Odebolt, IA

**COUNTY:** Sac

**ENTRIES:** 29

**DATE PLANTED:** 5/3/2019

**DATE HARVESTED:** 10/28/2019

**PLANTING RATE:** 34,000

**ROW WIDTH:** 30

| HYBRID           | BU/ACRE @ 15% Moisture | % H2O |
|------------------|------------------------|-------|
| P1366AM          | 288.5                  | 20.0  |
| JS7588VT2PRO RIB | 285.4                  | 19.7  |
| P1366AM          | 284.0                  | 19.7  |
| P1870            | 282.0                  | 18.7  |
| P1108Q           | 278.8                  | 20.4  |
| P0963AM          | 273.0                  | 19.0  |
| P1197AM          | 272.0                  | 18.8  |
| JS7748VT2PRO RIB | 269.0                  | 20.8  |
| P1353AM          | 269.0                  | 20.8  |
| P1353Q           | 269.0                  | 22.0  |
| DKC63-57VT2PRIB  | 267.0                  | 19.1  |
| P1563            | 265.0                  | 22.2  |
| P1138AM          | 264.0                  | 19.4  |
| DKC64-35VT2PRIB  | 264.0                  | 18.4  |
| P1244            | 263.0                  | 19.6  |
| JS7513VT2PRO RIB | 263.0                  | 18.2  |
| JS7468VT2PRO RIB | 262.0                  | 17.4  |
| P0919Q           | 260.1                  | 19.1  |
| P0688AM          | 259.0                  | 18.1  |
| P1082AM          | 258.3                  | 20.0  |
| P0950Q           | 257.8                  | 19.6  |
| DKC58-35VT2P     | 257.4                  | 17.8  |
| DKC62-53VT2PRIB  | 256.9                  | 19.1  |
| P0977AM          | 253.0                  | 18.8  |
| P0919AM          | 253.0                  | 19.0  |
| P0919AM          | 253.0                  | 19.2  |
| P0574AM          | 249.0                  | 17.3  |
| P1380            | 245.0                  | 19.1  |
| P041Q            | 242.0                  | 16.4  |
|                  |                        |       |
|                  |                        |       |
|                  |                        |       |
|                  |                        |       |
|                  |                        |       |

This plot was given everything it could have wanted this year. 200+lbs of N were applied as well as P, K, and micro nutrients including Sulfur and Zinc. Fungicide was applied at VT/R1 that also included Boron.